

	Description	Matrial Nr.	ASTM / AISI	AFNOR
Leaded brass	CuZn35Pb1	CW600N	C34000	NF CuZn35Pb1
	CuZn35Pb2	CW601N	C34200	---
	CuZn36Pb2As	CW602N	---	---
	CuZn36Pb3	CW603N	---	---
	CuZn37Pb2	CW606N	---	---
	CuZn38Pb2	CW608N	C37700	NF CuZn38Pb2
	CuZn39Pb2	CW612N	---	---
	CuZn39Pb3	CW614N	C38500	CuZn39Pb3
	CuZn40Pb2	CW617N	C37700	CuZn40Pb2
Lead-free brass	CuZn36	CW507L	C27200	CuZn36
	CuZn37	CW508L	C27400	CuZn37
	CuZn21Si3P	CW724R	---	CuZn21Si3P
	CuZn40	CW509L	C28000	CuZn40
	CuZn42	CW510L	C28000	CuZn42
	CuZn38As	CW511L	---	---
High-resistance brasee	CuZn31Si1	CW708R	---	CuZn31Si1
	CuZn35Ni3Mn2AlPb	CW710R	---	CuZn35Ni3Mn2AlPb
	CuZn37Mn3Al2PbSi	CW713R	---	CuZn37Mn3Al2PbSi
	CuZn40Mn1Pb1AlFeSn	CW721R	---	CuZn40Mn1Pb1AlFeSn
	CuZn40Mn1Pb1FeSn	CW722R	---	CuZn40Mn1Pb1FeSn
Dezincification-resistant brass	CuZn36Pb2As	CW602N	---	CuZn36Pb2As
	CuZn38As	CW511L	---	CuZn38As
	CuZn35Pb1.5AlAs	CW625N	---	CuZn35Pb1.5AlAs
	CuZn33Pb1.5AlAs	CW626N	---	CuZn33Pb1.5AlAs
Naval brass	CuZn36Pb2Sn1	CW711R	C38500	CuZn36Pb2Sn1
	CuZn36Sn1Pb	CW712R	---	CuZn36Sn1Pb
	CuZn39Sn1	CW719R	---	CuZn39Sn1

	Description	Material Nr.	ASTM / AISI	AFNOR
Aluminium	EN AW-2007	2.2007	A92007	A-U4Pb
	EN AW-2007	2. 2007	A92007	A-U4Pb
	EN AW-2015	2.2015	A92015	A-U4Mg
	EN AW-2017	2.2017	A92017	A-U4Mg
	EN AW-2017A	2.2017A	A92017A	A-U4Mg
	EN AW-2030	2.2030	A92030	A-U4Pb
	EN AW-2033	2.2033	---	---
	EN AW-3005	3.3005	A95005	A-Mg1
	EN AW-5005	3.3005	A95005	A-Mg1
	EN AW-5083	3.5083	A95083	A-G3MC
	EN AW-5086	3.5086	A95086	A-G3MC
	EN AW-5754	3.5754	A95754	A-G3
	EN AW-6082	3.6082	A96082	A-SGM0,6
	EN AW-7075	3.7075	A97075	A-Z5GU
Tin bronze	CuSn5Zn5Pb5-C	CC491K	C83600	CuSn5Zn5Pb5
	CuSn7Zn4Pb7-C	CC493K	C93200	CuSn7Zn4Pb7
	CuSn10-C	CC480K	C90700	CuSn10
	CuSn12-C	CC483K	C90800	CuSn12
	CuSn12Ni2-C	CC484K	C90800	CuSn12Ni2
	CuSn11Pb2-C	CC482K	C90900	CuSn11Pb2
Leaded bronze	CuSn10Pb10-C	CC495K	C93700	CuSn10Pb10
	CuSn7Pb15-C	CC496K	C93800	CuSn7Pb15
	CuSn5Pb20-C	CC497K	C94300	CuSn5Pb20
Aluminium bronzes	CuAl10Fe5Ni5-C	CC333G	C95500	CuAl10Fe5Ni5
	CuAl10Fe2-C	C331G	C95200	CuAl10Fe2
Copper	Cu-Etp/CuA1	CW004A	C11000	Cu-ETP / Cu-a1
	Cu-Pb1P	CW113C	C18700	CuPb1P
	CuNiPb1P	C19160	C19160	CuNiPb1P
Nickelsilver	CuNi12Zn38Mn5Pb2	CW407J	C79400	CuNi12Zn38Mn5Pb2

Other alloys available upon request, including precious metals.

DUB-001 / Edition 2026 / 08

The information contained in this document is provided for informational purposes only. Under no circumstances does it constitute a contractual obligation on our part.

Dubourgeal SAS
 523 route de la Plaine
 F - 74300 Thyez
 Tél. +33 4 50 98 25 93

www.dubourgeal.fr
secretariat@dubourgeal.fr

